



**TESTING OF SAMBA 12X4 MATCH GOAL PLAYFAST TO BS8462:2005+A2:2012**

|                |  |
|----------------|--|
| CLIENT         | Sambasports  |
| CLIENT ADDRESS | Sambasports<br>Walton Street<br>Colne<br>Lancashire<br>BB8 0EN |
| CLIENT CONTACT | Jeff Tipler  |

|               |   |                                       |
|---------------|---|---------------------------------------|
| REPORT NUMBER | LSUK.15-1052  |                                       |
| REPORTED BY   |  | James Blackburn<br>Technical Director |
| APPROVED BY   |  | Dr Colin Young<br>Managing Director   |

|                              |  |
|------------------------------|--|
| SUMMARY OF REPORT / FINDINGS | <p>Testing of Samba 12 x 4 MATCH Goal Playfast in accordance with BS 8462:2005+A2:2012 Goals for youth football, futsal, mini-soccer and small sided football.</p> <p>The goal satisfied the requirements of BS 8462</p> |
|------------------------------|--|

|                                      |   |
|--------------------------------------|---|
| <p>SCOPE OF TESTING</p>              | <p>The goal was tested in accordance with BS 8462:2005+A2:2012 for dimensions, materials, construction, instructions for users and markings</p>   |
| <p>TEST PROCEDURE/STANDARDS</p>      | <p>BS 8462:2005+A2:2012 Goals for youth football, futsal, mini-soccer and small sided football</p>  |
| <p>PRODUCT DETAILS / DESCRIPTION</p> | <p>Samba 12 (3.66m x 4 (1.23m) MATCH Goal Playfast</p>  |
| <p>TEST CONDITIONS</p>               | <p>The test samples were tested at <math>23 \pm 2</math> °C and <math>50 \pm 10</math> % relative humidity and conditioned for a minimum of 24 hours prior to testing commencement.</p> |

|   |   |                                   |
|---|---|-----------------------------------|
| <p>Report Number</p>  | <p>LSUK.15-1052</p>   | <p>Page 2 of 4</p>                |
| <p>Date</p>   | <p>13/11/2015</p>   |                                   |
| <p>This report contains 4 pages, it may not be used for commercial purposes unless it is reproduced in its entirety</p> |   |                                   |
| <p><b>LABOSPORT LTD</b>, Unit 3 Aerial Way, Hucknall, Nottinghamshire, NG15 6DW, England (5185905)</p>                  | <p><a href="mailto:info@labosport.co.uk">info@labosport.co.uk</a></p> | <p><b>www.labosport.co.uk</b></p> |
| <p>+44(0)115 968 1998</p>   | <p><a href="mailto:info@labosport.co.uk">info@labosport.co.uk</a></p> |                                   |

TEST RESULTS

| Test                        | Outcome |
|-----------------------------|---------|
| Determination of Strength   | Pass    |
| Determination of Stability  | Pass    |
| Label Durability            | Pass    |
| Dimensions                  | Pass    |
| Materials                   | Pass    |
| Framework & Net Supports    | Pass    |
| Net Fixings                 | Pass    |
| Finish                      | Pass    |
| Net strength and Dimensions | Pass    |

|                    |  |
|--------------------|--|
| <p>CONCLUSIONS</p> | <p>The Samba 12 x 4 MATCH Goal Playfast satisfied the requirements of BS 8462 for</p> <ul style="list-style-type: none"> <li>• Strength</li> <li>• Stability</li> <li>• Label Durability</li> <li>• Dimensions</li> <li>• Materials</li> <li>• Framework &amp; Net supports</li> <li>• Finish</li> </ul> |
|--------------------|--|

PHOTOGRAPHS



|  |  |                     |
|--|--|---------------------|
| Report Number  | LSUK.15-1052   | Page 4 of 4         |
| Date   | 13/11/2015   |                     |
| This report contains 4 pages, it may not be used for commercial purposes unless it is reproduced in its entirety |  |                     |
| LABOSPORT LTD, Unit 3 Aerial Way, Hucknall, Nottinghamshire, NG15 6DW, England (5185905)                         |  | www.labosport.co.uk |
| +44(0)115 968 1998   | <a href="mailto:info@labosport.co.uk">info@labosport.co.uk</a> |                     |